

Turf Pride

The First Equipment Lift Engineered and Designed for Turf Equipment

turfprideUSA.com • 334/488-3939 • email: sales@turfprideUSA.com

Only Trion offers a complete system you design for your needs.

A) Do you use compressed air tools?

B) Do you regularly do mower inspections?

C) Do you ever service golf cars or road vehicles?

D) Do you service cutting units, walkmowers or gang reels?

E) Do you ever do wheel or brake work on mowers?

F) Do you ever transport cutting units to the grinder? Do you ever need to move heavy things in the shop?

Don't just move equipment up and down off the floor. Trion equips your modern shop to do all these tasks (and more!) quickly and safely.



A) Air Hose Reel conveniently mounts right on the lift.

nL.

F) DL1300 Mobile Lift Table

makes transporting mower components and other heavy objects practically effortless.

Protected by one or more of the following U.S. patents: #5,207,296; #5,207,297; #5,211,264; #5,213,310; #5,213,486; #5,324,005; #5,362,196.

B) Inspection Light and Power Cord Reels

plug into the appliance outlets provided on the lift.



This is just a sampling of our accessory products. See our accessory catalog for a complete listing.

C) Tool Bar Extensions

are self-storing, so they add road vehicle (i.e. truck) service capability without taking up valuable shop space when they are not being used.

D) Universal Mower Adapter and

Attachments

put a new "spin" on the productivity available for walkmowers, cutting units and gang reel service.

Important features found on every Pro-M

Uni-Beam Construction

keeps all hydraulic and electrical components well above the floor and far from potential spark hazards associated with flammable spills and fumes. Each is also pre-wired, pre-plumbed and pre-tested before shipment for easy customer assembly.

Power Saver Hydraulics

allows "plug and play" operation at 220v 1 PH

Specifications

Dimensions

Overall Height	138
Overall Length	121
Overall Width	122
Shipping Weight	1,685

Capacity

Max. Wheel Width Accepted Max Wheel Base Accepted Lifting Height/Weight

Features

Power Unit Controls Installation

Warranty

1-1/2 HP, 220v 1PH All in one location Self install with common tools in approx. 3 hours 5-year parts

96"

86" (140" w/extensions)

6 ft/5000 lb.

lb

Single Point Controls

simplify lift operation.

Instructions Right on the Lift

 including safety instructions and our tollfree customer service number, make it easy to contact Trion experts, both during and after the warranty period.

Tilt & Glide Wheel Forks

operate smoothly and easily with a self-locking design that doesn't add extra steps to the loading/unloading process.

Weight Distributing Base Beams

make Trion Lifts self-supporting so they can be installed on any surface. They also provide worry-free loading for overhung and unbalanced vehicles while rarely ever having to reposition the wheel tray.

Quality and productivity have always been and always will be Trion's focus. We are dedicated to the turf industry and our products are carefully designed with turf professionals in mind. Trion's ongoing commitment assures research will continue to bring new products and services designed to aid you in maintaining the wide variety of equipment you must service daily. And Trion promises uncompromising technical and service support with a strong warranty program that aims at total customer satisfaction.

Accu-load

System Decals

take the guesswork out of mower positioning.

visit our website today!

www.trionlifts.com

Turf Pride LLC d/b/a Trion Lifts P O Box 975 * Andalusia, AL 36420

@2016 Trion Lifts. Inc. All Specifications subject to change without notice

Trion is the most recognized name in the turf maintenance lift industry because it created the industry.